

## QGIS Application - Bug report #6017


### Qgis builds broken histogram if input src image contains <no-data> values

2012-07-11 08:52 AM - Nikos Ves

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Rasters	
<b>Affected QGIS version:</b> master	<b>Regression?:</b> No
<b>Operating System:</b>	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b> No	<b>Resolution:</b> duplicate
<b>Crashes QGIS or corrupts data:</b> No	<b>Copied to github as #:</b> 15402

#### Description

I've calculated an enviromental index, and because of the input data many pixes of the final product contain many <no-data> values. When I load the image to qgis, and tabing to histogram page, the resulting histogram is unusalble due the large amount of chaff. Picture attached.



[http://dl.dropbox.com/u/2464313/2000\\_n\\_combined.tif](http://dl.dropbox.com/u/2464313/2000_n_combined.tif)

#### History

**#1 - 2012-07-11 08:54 AM - Nikos Ves**

I also attach a dropbob link for the source image I used.

**#2 - 2012-07-12 12:28 AM - Giovanni Manghi**

- *Status changed from Open to Feedback*
- *Category set to Rasters*

isn't this a duplicate of #1380 ? If yes, please close this ticket as duplicate.

**#3 - 2012-07-12 07:35 AM - Nikos Ves**

seems to be the same

**#4 - 2012-07-15 02:21 PM - Giovanni Manghi**

- *Resolution set to duplicate*
- *Status changed from Feedback to Closed*

Nikos Ves wrote:

| *seems to be the same*

duplicate of #1380

**Files**

---

broken-hist.JPG	71.9 KB	2012-07-11	Nikos Ves
-----------------	---------	------------	-----------