

## QGIS Application - Bug report #7256

### Calculation of graduated symbology breaks is broken in master

2013-02-28 06:09 PM - Nyall Dawson

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Symbology	
<b>Affected QGIS version:</b>	master	<b>Regression?:</b> No
<b>Operating System:</b>		<b>Easy fix?:</b> No
<b>Pull Request or Patch applied:</b>	Yes	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b>	No	<b>Copied to github as #:</b> 16277
<b>Description</b>		
<p>Currently the calculation of Standard Deviation, Quantile and Natural Breaks is broken in master (probably since the introduction of the new vector API).</p> <p>This is caused by qgsgraduatedsymbolrendererv2.cpp line 804, where</p> <pre>setSubsetOfAttributes( QgsAttributeList() )</pre> <p>should be</p> <pre>setSubsetOfAttributes( lst )</pre>		

#### Associated revisions

**Revision 54f3e0a4 - 2013-03-01 11:52 AM - Nathan Woodrow**

Merge pull request #449 from nyalldawson/grad\_fixes

Fix calculation of graduated symbology breaks (Fix #7256)

#### History

**#1 - 2013-02-28 06:11 PM - Nyall Dawson**

Attached pull request fixes break calculation:

<https://github.com/qgis/Quantum-GIS/pull/449>

**#2 - 2013-03-01 02:52 AM - Nathan Woodrow**

- Status changed from Open to Closed

Fixed in changeset commit:"54f3e0a445140e38cdcb4049e5d55d658968ac9f".