

QGIS Application - Bug report #726

GRASS edit: crashes when closing v.digit

2007-06-06 08:35 AM - pcavallini -

Status: Closed	
Priority: Low	
Assignee: nobody -	
Category: GRASS	
Affected QGIS version:	Regression?: No
Operating System: Debian	Easy fix?: No
Pull Request or Patch supplied:	Resolution: fixed
Crashes QGIS or corrupts data:	Copied to github as #: 10785
Description	
Digitizing works well, but when closing the v.digit window QGIS crashes. It is a regression of 0.9, as older versions work well.	

History

#1 - 2007-08-04 02:24 AM - Maciej Sieczka -

Core dump provided by Otto Dassau:

```
Core was generated by @qgis'.
Program terminated with signal 11, Segmentation fault.
#0 0xb304ee56 in [[QgsGrassEdit]]::~QgsGrassEdit () from
/usr/local/lib/qgis/libgrassplugin.so
(gdb) bt
#0 0xb304ee56 in [[QgsGrassEdit]]::~QgsGrassEdit () from
/usr/local/lib/qgis/libgrassplugin.so
#3905 0xb304e248 in [[QgsGrassEdit]]::~closeEdit () from
#/usr/local/lib/qgis/libgrassplugin.so
#3906 0xb31073ba in [[QgsGrassEdit]]::~qt_metacall () from
#/usr/local/lib/qgis/libgrassplugin.so
#3907 0xb71f29de in QObject::activate (sender=0x852c248,
#from_signal_index=5,
to_signal_index=6, argv=0xbfa4b7cc) at kernel/qobject.cpp:3072
#3908 0xb71f2b94 in QObject::activate (sender=0x852c248, m=0xb7cb18a0,
from_local_signal_index=1, to_local_signal_index=2, argv=0xbfa4b7cc)
at kernel/qobject.cpp:3154
#3909 0xb7671954 in QAction::triggered (this=0x852c248, _t1=false)
at .moc/debug-shared/moc_qaction.cpp:208
#3910 0xb7673684 in QAction::activate (this=0x852c248, event=QAction::Trigger)
at kernel/qaction.cpp:1087
#3911 0xb76771d7 in QAction::trigger (this=0x852c248)
at ../include/QtGui/./src/gui/kernel/qaction.h:175
#3912 0xb7a91eaf in QPushButton::nextCheckState (this=0x8530bc0)
at widgets/qtoolbutton.cpp:1054
#3913 0xb79bbad3 in QAbstractButtonPrivate::click (this=0x8530d18)
at widgets/qabstractbutton.cpp:500
#10 0xb79bbde6 in QAbstractButton::mousePressEvent (this=0x8530bc0,
e=0xbfa4bfc8)
at widgets/qabstractbutton.cpp:1087
#3914 0xb7a93498 in QPushButton::mousePressEvent (this=0x8530bc0,
```

```

e=0xbfa4bfc8)
  at widgets/qtoolbutton.cpp:643
#3915 0xb76caaff in QWidget::event (this=0x8530bc0, event=0xbfa4bfc8)
  at kernel/qwidget.cpp:6032
#3916 0xb79ba6d2 in QAbstractButton::event (this=0x8530bc0, e=0xbfa4bfc8)
  at widgets/qabstractbutton.cpp:1049
#3917 0xb7a91e5a in QToolButton::event (this=0x8530bc0, e=0xbfa4bfc8)
---Type <return> to continue, or q <return> to quit---
  at widgets/qtoolbutton.cpp:1060
#3918 0xb7679445 in QApplicationPrivate::notify_helper (this=0x82e26e8,
receiver=0x8530bc0,
  e=0xbfa4bfc8) at kernel/qapplication.cpp:3538
#3919 0xb767a01f in QApplication::notify (this=0xbfa4c76c, receiver=0x8530bc0,
e=0xbfa4bfc8)
  at kernel/qapplication.cpp:3237
#3920 0xb71e155a in QApplication::notifyInternal (this=0xbfa4c76c,
receiver=0x8530bc0,
  event=0xbfa4bfc8) at kernel/qcoreapplication.cpp:509
#3921 0xb768487d in QApplication::sendSpontaneousEvent
(receiver=0x8530bc0,
  event=0xbfa4bfc8)
  at ../../include/QtCore/../../src/corelib/kernel/qcoreapplication.h:189
#3922 0xb76e5130 in QETWidget::translateMouseEvent (this=0x8530bc0,
#event=0xbfa4c3f0)
  at kernel/qapplication_x11.cpp:3853
#3923 0xb76e2e7a in QApplication::x11ProcessEvent (this=0xbfa4c76c,
event=0xbfa4c3f0)
  at kernel/qapplication_x11.cpp:2916
#3924 0xb77108d2 in x11EventSourceDispatch (s=0x82ea638, callback=0,
user_data=0x0)
  at kernel/qguieventdispatcher_glib.cpp:122
#3925 0xb6138a62 in g_main_context_dispatch () from /usr/lib/libglib-2.0.so.0
#3926 0xb613ba2f in g_main_context_check () from /usr/lib/libglib-2.0.so.0
#3927 0xb613bf95 in g_main_context_iteration () from /usr/lib/libglib-2.0.so.0
#3928 0xb720a1f0 in QEventDispatcherGlib::processEvents (this=0x82e73e0,
#flags=@0xbfa4c598)
  at kernel/qeventdispatcher_glib.cpp:325
#3929 0xb7710188 in QGuiEventDispatcherGlib::processEvents (this=0x82e73e0,
flags=@0xbfa4c5cc)
  at kernel/qguieventdispatcher_glib.cpp:178
#3930 0xb71de4e2 in QEventLoop::processEvents (this=0xbfa4c640,
flags=@0xbfa4c604)
  at kernel/qeventloop.cpp:126
#3931 0xb71de664 in QEventLoop::exec (this=0xbfa4c640, flags=@0xbfa4c648)
  at kernel/qeventloop.cpp:168
---Type <return> to continue, or q <return> to quit---
#3932 0xb71e1ca7 in QApplication::exec () at
kernel/qcoreapplication.cpp:729
#3933 0xb7678fc8 in QApplication::exec () at kernel/qapplication.cpp:3035
#3934 0x080e7121 in main ()
(gdb)

```

#2 - 2007-08-06 03:54 AM - Martin Dobias

- *Resolution set to fixed*
- *Status changed from Open to Closed*

Fixed in commit:4aaabbe8 (SVN r7126)

#3 - 2009-08-22 12:45 AM - Anonymous

Milestone Version 0.9 deleted