

QGIS Application - Bug report #7378

Fields created with the field calculator are filled with NULLs

2013-03-16 11:52 PM - Borys Jurgiel

| | | |
|---|-------------------|-------------------------------------|
| Status: | Closed | |
| Priority: | Severe/Regression | |
| Assignee: | | |
| Category: | Data Provider | |
| Affected QGIS version: | master | Regression?: No |
| Operating System: | | Easy fix?: No |
| Pull Request or Patch supplied: | No | Resolution: |
| Crashes QGIS or corrupts data: | No | Copied to github as #: 16350 |
| Description | | |
| <p>Seems another attribute indexing regression:</p> <ol style="list-style-type: none">1. Create a new field with the calculator2. The preview in the attribute table looks ok3. Close and reopen the table4. The column is filled with NULLs <p>It only affects newly created fields. Updating existing fields works well.</p> | | |

History

- #1 - 2013-03-16 11:55 PM - Borys Jurgiel
- Subject changed from Fields created with the field calculator are filled with null to Fields created with the field calculator are filled with NULLs
- #2 - 2013-03-18 12:34 PM - Filipe Dias
- I confirm this bug. Creating a new field from scratch or based on another field is impossible with Qgis Master.
- #3 - 2013-03-27 05:35 AM - Borys Jurgiel
- Still valid with the new dual-view attribute table
- #4 - 2013-04-07 10:28 AM - Pedro Venâncio
- I also confirm this bug with the master version compiled yesterday (Xubuntu 12.04).
- In the several attempts I made, there was one that I had some records selected manually, and created a new column, with the "Only update selected features" option, and it corrupted the shapefile (erased all records of the attribute table). After that I have done several attempts to try to reproduce this serious problem, but has not happened again.
- #5 - 2013-04-23 03:07 AM - Matthias Kuhn
- Status changed from Open to Closed
- Should be ok as of commit:6d046fc .
- Please check and reopen if necessary.

