QGIS Application - Bug report #7989
QGIS Nightly (June 2-3) Filter Vector, sql query

2013-06-03 12:49 PM - Katie Urey

Status:	Closed			
Priority:	Normal			
Assignee:				
Category:	Labelling			
Affected QGIS version:	master	**Regression?:**	No	
Operating System:	Windows XP	**Easy fix?:**	No	
Pull Request or Patch supplied:	No	**Resolution:**	worksforme	
Crashes QGIS or corrupts data:	No	**Copied to github as #:**	16841	

Description

The query results from a vector filter seem to toggle between viewing the original data set and then the subset from the first query. I am using this to tweak the positions of labels. (seems awkward..)

Confused?

Let me try again.

0) build a filtered layer, copy this layer to a new layer. (maybe the problem starts here)

1) build a query layer by selecting some points in dataset, say
"UA-ID" = 'OT-11' OR "UA-ID" = 'OT-14'

2) later alter this query to be:
"UA-ID" = 'OT-11' OR "UA-ID" = 'OT-14' OR "UA-ID" = 'OT-13'

3) test the query
   The test returns "the where clause found 2 rows"

4) clear the query

5) test the query
   The test returns "the where clause found 3 rows", even though the query box is now empty.

And, now, whilst trying to reproduce this problem I seem to have loaded garbage into the point shape file. It appears that label placement settings are displaying the wrong attribute/field. The file does not seem to be corrupted

Related issues:

Duplicates QGIS Application - Feature request # 3337: Query Builder's data sa...	**Closed**	**2012-06-30**

History

#1 - 2014-05-06 07:43 AM - Antonio Locandro

Is this still an issue? This ticket refers to an old version

#2 - 2014-05-06 03:49 PM - Giovanni Manghi

- Status changed from Open to Feedback

#3 - 2014-06-23 07:15 AM - Giovanni Manghi

- Resolution set to worksforme

- Status changed from Feedback to Closed

closing for lack of feedback.

Files

AttributesFilterLabel.PNG	64.5 KB	2013-06-03	Katie Urey