

## QGIS Application - Bug report #8775

### PyQGIS QgsPoint has a `__hash__` function, even though it is mutable

2013-10-05 05:01 AM - J. Dugge

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Python plugins	
<b>Affected QGIS version:</b>	master	<b>Regression?:</b> No
<b>Operating System:</b>		<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>		<b>Resolution:</b> end of life
<b>Crashes QGIS or corrupts data:</b>		<b>Copied to github as #:</b> 17481
<b>Description</b>		
<p>The QgsPoint class in PyQGIS has a (automatically generated?) <code>__hash__</code> function, which returns a hash value that does not depend on the coordinates of the point. This leads to the inconsistent behaviour that two points that are equal according to <code>QgsPoint.__eq__</code> do not have the same hash value, which causes problems with functions that rely on proper <code>__hash__</code> behaviour, like <code>set</code>.</p> <p>To reproduce this, load a polygon layer and run the following in the Python console:</p> <pre>provider = iface.activeLayer().dataProvider() for f in provider.getFeatures():     feature = f     points = f.geometry().asPolygon()[0]      points[0] == points[1]     # Returns True, the first and last points in a polygon are identical      set(points)     # The first/last point appears twice in the set, even though it should only appear once according to the equality</pre> <p>To fix this, the <code>__hash__</code> function in <code>QgsPoint</code> should be removed (e.g. by setting <code>QgsPoint.__hash__ = None</code>), which will raise <code>TypeError: unhashable type: 'QgsPoint'</code> when <code>set</code> is used with a list of <code>QgsPoint</code> objects.</p>		

#### Associated revisions

Revision 44b77671 - 2013-10-12 12:26 PM - Matthias Kuhn

Create hash method for QgsPoint (Fix #8775)

#### History

#1 - 2013-10-06 04:48 AM - Matthias Kuhn

For reference:

<http://www.mail-archive.com/pyqt@riverbankcomputing.com/msg15114.html>

#2 - 2013-10-12 03:26 AM - Matthias Kuhn

- Status changed from Open to Closed

Fixed in changeset commit:"44b7767134e442b95b6d99a1cbe612d2aeb856c7".

### #3 - 2013-10-12 05:15 AM - J. Dugge

Thanks for the quick reaction!

I think the changeset doesn't actually fix the issue though: QgsPoint is a mutable type (its value can be changed using `setX()`, for instance), and as such, it *mustn't* have a `__hash__()` function (see <http://docs.python.org/2/glossary.html#term-hashable>)

Consider the following to see why the new implementation is problematic:

```
a = QgsPoint(0,0)
b = QgsPoint(1,1)
c = set([a,b])

print c
# correctly returns [(0,0),(1,1)]

a.set(1,1)
print c
# returns [(1,1),(1,1)], which is incorrect
```

The proper way to fix this is to *remove* the `__hash__` function by setting `__hash__ = None`, which explicitly marks the class as the mutable and unhashable type it is ([http://docs.python.org/2/reference/datamodel.html#object.\\_\\_hash\\_\\_](http://docs.python.org/2/reference/datamodel.html#object.__hash__)) so set operations (which don't work with mutable types) are disabled.

### #4 - 2013-10-13 01:50 AM - J. Dugge

- Status changed from Closed to Reopened

### #5 - 2017-05-01 01:09 AM - Giovanni Manghi

- Regression? set to No

- Easy fix? set to No

### #6 - 2019-03-09 04:04 PM - Giovanni Manghi

- Resolution set to end of life

- Status changed from Reopened to Closed

### End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>