

QGIS Application - Bug report #8836

Default styles from postgis layers not loading

2013-10-14 10:55 AM - John Tull

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Symbology	
<b>Affected QGIS version:</b>	2.0.1	<b>Regression?:</b> No
<b>Operating System:</b>	OS X	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	No	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b>	No	<b>Copied to github as #:</b> 17525
<b>Description</b>		
<p>In trunk builds, postgis layers are not loading default styles stored in the "Datasource database". I can manually load the style by selecting it in the datasource database, but I expected the layers to load with these default styles automatically. I think something has regressed with the application of default styles unless this is an intentional change.</p>		

History

#1 - 2013-10-15 02:08 AM - Giovanni Manghi

- Status changed from Open to Feedback

it is working fine, at least here on qgis master and Linux.

#2 - 2014-02-11 12:35 AM - Jürgen Fischer

closing for the lack of feedback.

#3 - 2014-02-11 12:35 AM - Jürgen Fischer

- Status changed from Feedback to Closed