

QGIS Application - Bug report #8878

OSM plugin fails to download all data within given extent

2013-10-16 07:21 PM - Mathieu Pellerin - nIRV

Status:	Closed		
Priority:	Normal		
Assignee:	Martin Dobias		
Category:	Data Provider		
Affected QGIS version:	master		
Operating System:	Ubuntu 12.04 LTS		
Pull Request or Patch supplied:	No		
Crashes QGIS or corrupts data:	No	Regression?:	No
		Easy fix?:	No
		Resolution:	wontfix
		Copied to github as #:	17558
Description			
Steps to reproduce: 1. Load the shapefile attached to this issue (ICJ-DMZ.zip) 2. Download OSM data for the map extent covering the above shapefile 3. Import topology, then export topology to polylines The resulting spatialite line layer will be missing <i>lots</i> of OSM open ways (see qgis-import_vs_actual-osm.png). You can overlay an OpenLayers' OSM layer to easily see what's missing. It's an issue affecting both QGIS 2.0 and QGIS master (2.1).			
Related issues:			
Related to QGIS Application - Bug report # 10790: OpenStreetMap plugin only I...		Closed	2014-07-03
Duplicated by QGIS Application - Bug report # 12727: Openstreetmap Import to ...		Closed	2015-05-09

History

#1 - 2013-10-16 09:21 PM - Mathieu Pellerin - nIRV

Forgot to expand on the qgis-import_vs_actual-osm.png; the imported lines are displayed using red squares along path, overlaid on top of OSM tiles. In total, three ways are imported, and a bunch of visible tracks / paths / etc. ways are clearly missing.

#2 - 2013-10-17 03:03 AM - Martin Dobias

QGIS currently uses this kind of query for download:

```
http://overpass-api.de/api/interpreter?data=(node(14.3833,104.638,14.4167,104.706);<;out;
```

What it does is that it returns all nodes in the bounding box + ways and relations referring to those nodes. Now, the ways containing nodes that are outside of the bounding box cannot be reconstructed properly and they are silently ignored.

What would be the best way to deal with this situation? We can query also nodes outside of the bounding box if used by some ways like this:

```
http://overpass-api.de/api/interpreter?data=(node(14.3833,104.638,14.4167,104.706);way(bn);node(w););out;
```

Upon reconstruction, this may give a bit surprising result, because often big ways (that span through big area, e.g. border line) may completely dominate

the actual area of interest. Probably we should have an option to clip the resulting layer to originally asked extent.

Also, I guess we need to check whether the .osm file being loaded is complete (e.g. no missing nodes for ways) and if not, refuse opening such file.

Thoughts?

#3 - 2013-10-17 03:23 AM - Jukka Rahkonen

I don't think that users should be forced to download always full features and relations because they can be quite big. And if user has received some OSM data from external source it would be unfriendly to prevent opening the dataset totally just because some features are not complete.

OpenJUMP OSM reader is writing into attributes if features has been resolved totally. That might be worth thinking.

http://sourceforge.net/apps/mediawiki/jump-pilot/index.php?title=Working_with_OpenStreetMap_data

#4 - 2013-10-17 04:24 AM - Mathieu Pellerin - nIRV

Martin, there are ways that are confined within the bounding box (see the yellow tertiary highway, some small stair ways, and tracks) yet are not downloaded / exported to lines. Wondering whether there are two issues here. One with how to deal with partial ways, and the other with ways well within bounding box not being retrieved or exported to polylines.

#5 - 2014-05-27 12:43 AM - Alexandre Neto

I have found this same issue and the workaround is to download the .osm files using the export button on www.openstreetmap.org

#6 - 2014-05-27 01:21 AM - Giovanni Allegri

The tertiary road is correctly downloaded, I can see it in the ways table (id=204549674, <http://www.openstreetmap.org/way/204549674>). The problem is that it isn't put into the polylines spatialite layer.

#7 - 2014-05-27 03:46 AM - Giovanni Allegri

Martin, your suggestion causes recursions which, for areas bigger then this example, will make the query fail (Overpass will kill it).

`http://overpass-api.de/api/interpreter?data=(node(14.3833,104.638,14.4167,104.706);way(bn);node(w););out;`

#8 - 2014-05-27 09:53 AM - Andre Joost

- File GDAL-import.png added

If I use the QGIS OSM plugin to download the data (step 1 and 2), but then use `Add vector Layer` to import the .osm, I get all ways inside the bbox as expected (see attached GDAL-import.png).

This uses the GDAL osm driver. I don't know what they are doing better (it should be a spatialite database as well).

I suggest to merge the two importers.

#9 - 2015-10-01 09:28 AM - Anita Graser

- Assignee set to Martin Dobias
- Affected QGIS version changed from 2.0.1 to master

@Martin: I've assigned this to you now since I guessed from Github that you added many parts of the OSM tool. Maybe you could also reply to the discussion in <http://osgeo-org.1560.x6.nabble.com/Suggestion-Remove-Vector-Openstreetmap-tool-from-QGIS-2-12-id5226614.html> and add your opinion.

I hope that's ok, thanks!

- #10 - 2017-05-01 01:09 AM - Giovanni Manghi**
- Easy fix? set to No
 - Regression? set to No

- #11 - 2017-07-20 07:54 AM - Andre Joost**
- Maybe related to #10790

- #12 - 2017-07-20 11:44 PM - Jürgen Fischer**
- Related to Bug report #10790: OpenStreetMap plugin only loads 32 bits numbers ID, then start with negative numbers added

- #13 - 2018-01-16 07:05 AM - Nyaall Dawson**
- Resolution set to wontfix
 - Description updated
 - Status changed from Open to Closed

OSM downloader has been removed for 3.0

Files			
ICJ-DMZ.zip	995 Bytes	2013-10-16	Mathieu Pellerin - nIRV
qgis-import_vs_actual-osm.png	122 KB	2013-10-16	Mathieu Pellerin - nIRV
GDAL-import.png	84.3 KB	2014-05-27	Andre Joost