

## QGIS Application - Bug report #9062

### QgsOgrFeatureIterator always fetch all feature attributes but are unnecessary

2013-11-13 03:12 PM - Alvaro Huarte

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> Alvaro Huarte	
<b>Category:</b> Data Provider/OGR	
<b>Affected QGIS version:</b> master	<b>Regression?:</b> No
<b>Operating System:</b>	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b> Yes	<b>Resolution:</b> fixed/implemented
<b>Crashes QGIS or corrupts data:</b> No	<b>Copied to github as #:</b> 17709
<b>Description</b>	
<p>There is a bug in QgsOgrFeatureIterator::ensureRelevantFields(), the feature cursor always fetchs all attributes ignoring the relevant fields configuration of the feature request.</p> <p>This method doesn't assign the relevant fields of the ogrLayer managed in the feature cursor, it modifies the relevant field definition of a ogrLayer related in the provider.</p> <p>The feature cursor works with unmodified configuration of the ogrLayer fetching all attributes from the related dataset.</p>	

#### Associated revisions

Revision af73f30c - 2013-11-14 12:52 AM - Jürgen Fischer

ogr provider: actually only use relevant fields in feature iterator (fixes #9062)

#### History

#1 - 2013-11-13 03:26 PM - Alvaro Huarte

- Affected QGIS version changed from 2.0.1 to master
- Pull Request or Patch supplied changed from No to Yes
- Resolution set to fixed/implemented
- % Done changed from 0 to 100

Fixed in pull request:

<https://github.com/qgis/QGIS/pull/994>

#2 - 2013-11-13 03:53 PM - Jürgen Fischer

- Status changed from Open to Closed

Fixed in changeset commit:"af73f30c27b5ee4860842d79eb59ad3b584e0965".

#3 - 2013-11-13 04:28 PM - Alvaro Huarte

Thanks!