# QGIS Application - Bug report #9099 QGIS reads all features twice - opening CSV attribute table

2013-11-20 03:17 AM - Jonathan Moules

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:		
Affected QGIS version:2.0.1		Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:		Resolution:
Crashes QGIS or corru <b>pits</b> data:		Copied to github as #: 17744
Description		
1) Drag file into C 2) Right click -> C	QGIS. Open Attribute Table	t.gov.uk/NaPTAN/snapshot/NaPTANcsv.zip e QGIS is reading all ~400,000 features
		ao and counts up to 400,000 again.
Shouldn't it only h	÷ .	

### Associated revisions

# Revision 584aba76 - 2013-11-20 07:40 PM - Matthias Kuhn

Heavier use of feature caching for fully populated caches When a feature cache is set to "FullCache" mode, it will answer requests from this cache instead of querying the backend.

Some more documentation for writing custom feature iterators based on QgsAbstractFeatureIterator

Fix #9099

#### History

#1 - 2013-11-20 09:14 AM - Giovanni Manghi

confirmed here, does not happen if the csv is imported as point layer.

## #2 - 2013-11-20 10:47 AM - Matthias Kuhn

- Status changed from Open to Closed

Fixed in changeset commit:"584aba7672e1c000a031de750713cd9a8e58ca8d".