

QGIS Application - Bug report #9415

Problem with current Debian build

2014-01-23 05:32 AM - Andy Wood

<b>Status:</b>	Closed	
<b>Priority:</b>	Severe/Regression	
<b>Assignee:</b>		
<b>Category:</b>	Build/Install	
<b>Affected QGIS version:</b>	master	<b>Regression?:</b> No
<b>Operating System:</b>	Linux	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	No	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b>	No	<b>Copied to github as #:</b> 18010
<b>Description</b>		
<p>In debian rules file, section: install: build</p> <pre>perl -i -pe 's=#!/usr/bin/env python=#!/usr/bin/python2.7=;' \$(find debian/tmp -name "*.py")</pre> <p>causes:</p> <pre>perl -i -pe 's=#!/usr/bin/env python=#!/usr/bin/python2.7=;'</pre> <p>-i used with no filenames on the command line, reading from STDIN.</p> <p>I do not understand makefiles enough to provide a fix, but perhaps it should be something like (?):</p> <pre>perl -i -pe 's=#!/usr/bin/env python=#!/usr/bin/python2.7=;' \$(find \$(CURDIR)/debian/tmp -name "*.py")</pre> <p>Andy.</p>		

History

#1 - 2014-01-27 03:37 AM - Andy Wood

- Status changed from Open to Closed

Fixed in latest master version.